




NRI Photography Report

Dorsey Plunk
National Cartography and Geospatial Center
Fort Worth, Texas

General Photo Specifications


- Natural color film positive
- Mapping camera
- 6" focal length lens
- 500 acres or less (1:7,920) 3,960' AGL
- More than 500 acres
 (1:12,000) 6,000'
 AGL (1,161 in 2002)

- 49,969 PSUs
- CONUS only
- No core urban, federal, or water
- No clouds, snow, or flooding






Core Photographic Periods






Extended Photographic Periods







FY2002 Contractors




Count & Prices 1998-2002




NRI Photo Deliveries 2001 and 2002



Photos vs. Data Collection 2001




Photos vs. Data Collection 2002







Core Photographic Periods





2002 ICCS National Core Photo Period Counts




2002 ICCS National Core Photo Period Counts With Extended










2003 ICCS National Core Photo Period Counts







2003 ICCS National Core Photo Period Counts



Need For Additional High Resolution Photography

- High quality photography, imagery, and automated data collection for the NRI have:
 - Improved staff efficiencies
 - Improved productivity
 - Improved quality
 - Reduced costs
- It is believed the same techniques can be used in other conservation programs.



Other NRCS Programs That Use or Could Benefit from Remote Sensing

- Wetlands Reserve Program (WRP)
- Wildlife Habitat Incentive Program (WHIP)
- Wetland Conservation Compliance
- Conservation Reserve Program (CRP)
- Grassland Reserve Program (GRP)
- Performance Reporting Management Survey (PRMS)
- Conservation Reserve Enhancement
- Conservation Technical Assistance (CTA)
- Resource Conservation and Development (RC&D)
- Environmental Quality Incentives Program (EQIP)
- Farmland Protection Program
- Emergency Watershed Protection
- Soil Surveys
- Snow Survey and Water Forecasting

Review of Active Contracts

- Onsite review of 5 100% of contracts depending on program.
- Estimated annual workload 600 staff years.
- Except for WRP, reviews are treated as unfunded mandates.
- Potential review workload associated with the 1996 and 2002 Farm Bills is expected to overwhelm field employees without some process changes.

WRP Contracts

- All WRP projects must be reviewed annually
- Onsite inspections every third year
 - Walking the boundary
 - Monitoring the effectiveness of restoration
 - Detecting easement violations
 - · Mowing/haying
 - Discing
 - Grazing
 - Dewatering of impoundments too early
 - Burning
 - Food plot expansion or creation
 - Dumping
 - Timber harvest
 - · Pumping water
 - Growing crops on the easement
 - Improvement/creation of access roads.


Problems

- Size of the project
- Location
- Accessibility
- Time




3900 ac project in Monroe Co., Arkansas

WRP Acres Enrolled



WRP Contracts



Pilot Test Recommendations

- FY2003, test remote sensing monitoring of WRP and WHIP in WA, MN, WI, KS, AR, LA, IA, and MO.
- WRP and WHIP sites are digitized.
- Contract for NRI-like photography over WRP sites (474 photos) and use NRI photography for WHIP sites that fall on PSUs.
- Acquire Landsat and other aerial imagery for evaluation.


Outcomes

- Replace need for onsite?
- Effective screening tool?
- Reduce workload?
- Cost effective (labor and photography contract)?
- Improvement in quality of data collected?
- Base for future monitoring or documentation of violations?
- Centralized data collection without local knowledge?
- Expanded role for ICCS locations?
- Evaluate other imagery types and sources.

Satellite Imagery for NRI

- Currently being used for Guam, Rota, Tinian, and Saipan
- Problems include
 - Clouds
 - Geo and orthorectification
 - Digital image processing
 - Mosaicking
 - Resolution merge
- Minimum purchases
 - Ikonos \$350 (50 km²)
 - QuickBird \$337.50 (25 km²)





PSUs Fit DRG but Not Ikonos





ERDAS & Scanner Purchases

ICCS Location	Contact Person	Advantage	OrthoBase	Microtek 9600
Auburn, AL	Herbert Ross	2	2	0
Little Rock, AR	Marcella Callahan	1	2	1
Phoenix, AZ	Jamie Gillum	1	1	0
Lakewood, CO	Kelly Pace	2	2	0
Boise, ID	Hal Swenson	1	1	1
Ames, IA	Cory Brockman	1	1	1
Salina, KS	Larry Kuder	1	1	0
Lexington, KY	Bill Craddock (2 KY & 2 TN)	4	4	0
Amherst, MA	John Kick	1	1	1
East Lansing, MI	William Bowman	1	1	1
Bozeman, MT	Doug Harrison	1	2	1
Reno, NV	Bill Daily	1	1	0
Bismarck, ND	Karen Stroh	1	1	0
Columbus, OH	Bob Parkinson	2	0	0
Temple, TX	Micki Yoder	1	1	1
Morgantown, WV	Timothy Prescott	1	1	0
Madison, WI	Lori Chavez			1
Total		22	22	8



List prices: Advantage = \$4,000, OrthoBase = \$5,000

GSA prices: 50% off list for 11+ licenses

Total list: \$198,000 NRCS cost: \$99,000



List price: \$1,500 GSA price: \$999.00 Total list: \$12,000 NRCS cost: \$7,992

Black = RID, Green = State, Blue = both

ERDAS Training

- July 18-20, 2002 NCGC, Fort Worth
- Taught by Spokane ICCS
- 20 students
- 15 ICCSs represented
- Scanning using Microtek
 9600
- Overview of Imagine
- Instruction on OrthoBase and MrSID

- Used demo licenses (one time only 30 day license)
- Future training?
 - Purchase 16 copies of Image, OrthoBase, and MrSID (est. cost \$112,000)
 - Contract with ERDAS
 - 8 day onsite course for 16 students (\$14,645)
 - \$915 per student


Ortho Server Status

- All 17,217 DOQQ
 CDs at NCGC loaded
- Problem files being pulled and reloaded
- Vintage files being moved so only latest imagery is visible

- Gaps slowly being filled as new data arrives
- QA is ongoing, but it will take several months to fix all problem areas
- Only after problems are fixed will the server be advertised.

PSU Centered DOQQ Clips

- Clips provided for
 - Indiana
 - 39 counties in Illinois
 - 12 parishes in LA
- Ongoing work for
 - Illinois
 - Wisconsin
 - Louisiana
- Operational production on hold until QA is completed and correct image dates are verified




Part 500 Scanning & Rectification

- Establishes policy for NRI photos and ancillary maps
- 9x9 scan at 600 dpi
- Procedures for calculating dpi for non standard photos
- Standard file naming using USDA specs.

- Rectification base is NDOP DOQQ
- Orthorectification required on PSUs with >20 meters of relief
- UTM, NAD83
- RMSE of 2 or less
- Allows near-lossless image compression

FY 2002 FAS Landsat Scenes



AREA	PROJECT	SCENES	
Colorado	Tamarisk Mapping	4	
Washington	NRI	8	
Oregon	County Base	20	
Iowa	Flood Mapping	3	
Arizona	State Coverage	25	
Nevada	State Coverage	28	
California	Klamath River	13	
New Mexico	Juniper Mapping	4	
Utah	Wetland Change	7	
North Dakota	Irrigation	2	
Texas	Irrigation Survey	111	
Texas	Flood Mapping	4	
CO, TX, NV	IT Conference	4	
TOTAL		233	